

Karran[®]


INSTALLATION GUIDE




Dockton

Models: KKF250C

KKF250SS




The Component List	Qty.
1. Spray Head	1
2. Main Body	1
3. Base	1
4. Rubber Washer A	1
5. Rubber Washer B	1
6. Metal Washer	1
7. Mounting Hardware	1
8. Spray hose	2
9. Weight	1
10. Hex Wrench	1




INSTALLATION GUIDE

STEP 1




1. Remove the mounting hardware(7), metal washer(6) and rubber washer B(5) from the main body(2):

STEP 2




2. Insert the main body into the hole with the base(3) and rubber washer A(4), refix the rubber washer B(5), metal washer(6) and mounting hardware(7) from the bottom.

STEP 3



3. After adjusting the direction of the main body(2), tighten the mounting hardware (7) with hands and tighten the screws with a Philips screwdriver.


STEP 4



4. Connect the spray hose(8) and spray head(1) to finish installation.


INSTALLATION GUIDE

STEP 5




5. Attach the weight(9) on the spray hose(8).

STEP 6



6. Connect the waterlines to outlet tightly.
Turn on the outlet and check for leaks.

How to operate the handle:




- 1) Open the handle lever to turn water on. Push to turn off.
- 2) Turn the handle lever to the left to increase hot water flow with higher water temperature, while lower the water temperature by operating reversely.


Spray

The operation of the spray diverter:

- 1) When first turned on, water comes from aerator.
- 2) Press botton back, water comes from nozzles.
- 3) Press botton front, water comes from aerator.
- 4) Diverter button automatically returns to normal position once handle closed.



REPLACEMENT PARTS



No.	Description	Finishes/Colors	Item No.
1	Spray Head	C, SS	500301912**
2	Washer		70020038930
3	Spray Hose	C, SS	500401611**
4	Spout Kit	C, SS	300300386**
5	Set Screw		50060039700
6	Main Body	C, SS	100300518**
7	35A Cartridge		20060010900
8	Nut		40060199252
9	Cap	C, SS	500101091**
10	Handle	C, SS	200100446**
11	Base	C, SS	500101638**
12	Rubber & Metal Washer		70020037354
13	Mounting Hardware		40060185018
14	Weight		50020066700
15	Hot Waterline		50042068521
16	Cold Waterline		50042068526
17	Supply Hose		50040196200
18	Hex Wrench		50060003700

** Denotes faucet component color options:

C - Chrome

SS - Spot Free Stainless Steel