



## □ Wall cabinet



## □ Base cabinet








**Standard**

**One Left**  
- Special order -

**One Right**  
- Special order -

**Step**  
- Special order -

**Reverso**  
- Special order -



Maximum weight of a door 20 Kg	
<b>LHT</b>	Total cabinet height (mm)
<b>SPC</b>	Top panel thickness (mm)
<b>LHI</b>	Internal cabinet height (mm)
<b>SPB</b>	Bottom panel thickness (mm)
<b>TM</b>	Door thickness + handle (mm) • <b>min 18 mm • max 45 mm</b>
<b>TH</b>	Door height (mm) • <b>max 1200 mm</b>
<b>T</b>	Door thickness (mm) • <b>min 18 mm • max 40 mm</b>
<b>LT</b>	Total cabinet width (mm)
<b>SPI</b>	Central panel thickness (mm)
<b>S</b>	Side panel thickness (mm)
<b>TL</b>	Door width (mm) • <b>min 600 mm • max 1500 mm</b>
<b>RM</b>	Distance from edge of the door to the handle (mm)
<b>D</b>	Door overlay on side panel • <b>max 48 mm</b>
<b>LV</b>	Internal cabinet width (mm)
<b>LV1</b>	Internal cabinet width for systems Step and Reverso (mm)

**Power**

**Kit Push for base cabinet only**

Contact name
Company
Date
Project
Distributor
Notes