




T5 Trescent[®] LED

120V LINEAR LIGHTING




295 Lumens
per ft.
(967 per meter)

Look again — that’s not a fluorescent, that’s an LED Linear Light. The T5 LED has the same low profile as fluorescent strip lights without the harmful material, costly energy consumption or bulb replacement and breakage. While fluorescent bulbs produce uneven light, the T5 LED Series produces even light throughout the length of the fixture, giving off 20 percent more light than other brands.




- ▶ Integrated on/off switch
- ▶ Available in black or white finish

- ▶ Proprietary diffuser to eliminate dotted appearance



- ▶ 6' (1.8 m) starter cord, mounting clips, back-to-back connectors & 90° connectors included



- ▶ Linkable up to 150W or 10 fixtures

Features:



- ▶ 6 lengths available
- ▶ Slim end cap design eliminates dark spots when linking
- ▶ Averages 30% less energy consumption than fluorescent equivalent
- ▶ No hum or flicker as found in similar fluorescent lights
- ▶ Instant on, instant brightness
- ▶ Commercial grade 3-year warranty

Available Finishes:



White (WH)



Black (BL)


Typical Applications:

- ▶ Displays
- ▶ Office furniture
- ▶ Cabinets or shelving
- ▶ Laboratory furniture
- ▶ Back lighting
- ▶ Soffit, perimeter lighting or cove lighting



Dimensions:


Actual Size



Specifications:

Wattage	4.3W/ft. (14W/m)
Lumens	295 per ft. (967 per m)
Efficacy (lm/W)	68.6
Input Voltage	120V
Diode Life	30,000 Hours
Max Per 60W Power Supply	N/A
Max Continuous Run	10 Fixtures or up to 150W
Mounting	Surface
Warranty	3 Year
Certifications	

Beam Angle




Photometric Data

Height	Light Output	Beam Area
1ft (.3 m)	318.50Fc (3428.30lx)	2.6ft L x 15.3ft W (0.8 m L x 4.7 m W)
3ft (.9 m)	35.39Fc (380.93lx)	7.9ft L x 45.8ft W (2.4 m L x 14 m W)
6ft (1.8 m)	8.85Fc (95.26lx)	15.8ft L x 91.6ft W (4.8 m L x 27.9 m W)

L-LT518W-1204C Tested


Color Temperature



IES data verified by Intertek testing lab.

Required Items

T5 Trescent® LED Series




Part #	Description
L-LT53W-267W*-5	T5 LED 3W 3000K 10.5" (267 mm)
L-LT53W-267C*-5	T5 LED 3W 5000K 10.5" (267 mm)
L-LT53W-267D*-5	T5 LED 3W 6500K 10.5" (267 mm)
L-LT54W-343W*-5	T5 LED 4W 3000K 13.5" (343 mm)
L-LT54W-343C*-5	T5 LED 4W 5000K 13.5" (343 mm)
L-LT54W-343D*-5	T5 LED 4W 6500K 13.5" (343 mm)
L-LT57W-571W*-5	T5 LED 7W 3000K 22.5" (571 mm)
L-LT57W-571C*-5	T5 LED 7W 5000K 22.5" (571 mm)
L-LT57W-571D*-5	T5 LED 7W 6500K 22.5" (571 mm)
L-LT514W-904W*-5	T5 LED 14W 3000K 35.5" (904 mm)
L-LT514W-904C*-5	T5 LED 14W 5000K 35.5" (904 mm)
L-LT514W-904D*-5	T5 LED 14W 6500K 35.5" (904 mm)
L-LT518W-1204W*-5	T5 LED 18W 3000K 47.5" (1204 mm)
L-LT518W-1204C*-5	T5 LED 18W 5000K 47.5" (1204 mm)
L-LT518W-1204D*-5	T5 LED 18W 6500K 47.5" (1204 mm)
L-LT525W-1504W*-5	T5 LED 25W 3000K 59.25" (1504 mm)
L-LT525W-1504C*-5	T5 LED 25W 5000K 59.25" (1504 mm)
L-LT525W-1504D*-5	T5 LED 25W 6500K 59.25" (1504 mm)

*For white fixture use (WH), for black use (BL).
6 ft. (1.8 m) starter cord, straight & 90° U-Clips, back-to-back connector and 90° adaptor included.

Optional Items


Hardwire Boxes



Part #	Description
L-HWB-WH-T5-1	T5 White Hardwire Box, without Switch
L-HWB-BL-T5-1	T5 Black Hardwire Box, without Switch
L-HWB-WH-T5-S-1	T5 White Hardwire Box, with Switch
L-HWB-BL-T5-S-1	T5 Black Hardwire Box, with Switch


*Adaptor cord is required for proper connection.

U Clips - Metal



Part #	Description
L-TRS5-UCLP-M-1	Metal T5 Replacement U-clips, Set of 2

Link Cord / Extension



Part #	Description
L-LT5-LNK15-BL-1	6" (15cm) Black T5 Trescent® LED Linking Cord
L-LT5-LNK15-WH-1	6" (15cm) White T5 Trescent® LED Linking Cord
L-LT5-LNK25-BL-1	10" (25cm) Black T5 Trescent® LED Linking Cord
L-LT5-LNK25-WH-1	10" (25cm) White T5 Trescent® LED Linking Cord
L-LT5-LNK60-BL-1	24" (60cm) Black T5 Trescent® LED Linking Cord
L-LT5-LNK60-WH-1	24" (60cm) White T5 Trescent® LED Linking Cord
L-LT5-LNK120-BL-1	48" (120cm) Black T5 Trescent® LED Linking Cord
L-LT5-LNK120-WH-1	48" (120cm) White T5 Trescent® LED Linking Cord
L-LT5-LNK180-BL-1	72" (180cm) Black T5 Trescent® LED Linking Cord
L-LT5-LNK180-WH-1	72" (180cm) White T5 Trescent® LED Linking Cord